

Forklifts • Order Pickers • Pallet Movers • Stackers • Reach Trucks

PRODUCT RANGE

TCM
Trusted Partner


SAFETY


EFFICIENCY


COMFORT



TCM
Always Evolving



SAFETY

INTEGRAL TO OUR TRUCKS

STANDARDISING SAFETY ON OUR TRUCKS LEADS TO SAFER WORKING ENVIRONMENTS WITH LESS ACCIDENTS.

- Stability support systems built in as standard
- Safety is not just a feature, it's integral to our design ethos
- Our flexible control systems allow you to optimise the safety features for your applications
- Inbuilt security functions to prevent unauthorised operation
- Engineered for 360 degree visibility



EFFICIENCY

INDUSTRY LEADING PERFORMANCE

CREATING EFFICIENCIES UTILISING NEW TECHNOLOGIES.

- Low fuel and power consumption
- Maximising performance to reduce operational cycle times
- Easy servicing and maintenance, minimising your downtime
- Eco-modes to save energy




COMFORT

CONSIDERING THE OPERATOR TO INCREASE YOUR PRODUCTIVITY

FEATURES DESIGNED TO MINIMISE YOUR TOTAL COST OF OPERATION.

- Utilising the science behind ergonomics to create a truck that works with the operator
- Intuitive controls for easy operation
- We understand working environments to enable
- Operator areas with functionality and easy access in mind



Electric Counter Balance Forklift Trucks

The FB/FTB/FHB electric counterbalance trucks are silent, easy to drive and efficient. They have top-class ergonomics with a fully adjustable driver compartment.

An on-board truck computer offers PIN-code-access and service diagnostics. AC drive motor ensures high class performance and low running costs. The counterbalance truck range comes with a full range of mast systems and an efficient battery changeover system.

FTB

3 WHEEL 48 VOLT COUNTERBALANCE TRUCK

LIFT CAPACITY
1250/1500/1600/
1800/2000 kg
LIFT HEIGHT
Up to 7 metres



FB

4 WHEEL 48 VOLT COUNTERBALANCE TRUCK

LIFT CAPACITY
1600/1800/2000 kg
LIFT HEIGHT
Up to 7 metres



FHB

4 WHEEL 80 VOLT COUNTERBALANCE TRUCK

LIFT CAPACITY
2000/2500/3000 kg
LIFT HEIGHT
Up to 7 metres



Diesel/LPG Counter Balance Forklift Trucks

The FD/FGE Engine Powered (Diesel/LPG) counterbalance trucks with car-like driveability – featuring advanced safety and efficiency-enhancing technology. The meter panel provides OnBoard Diagnostics for troubleshooting.

FD/FGE 1.5-3.2

ENGINE COUNTERBALANCE TRUCK
LIFT CAPACITY
1500/1750/2000/
2500/3000/3200 kg
Diesel/LPG
LIFT HEIGHT
Up to 7 metres



FD/FGE 3.5-5.0

ENGINE COUNTERBALANCE TRUCK
LIFT CAPACITY
3500/4000/4500/
5000 kg
Diesel/LPG
LIFT HEIGHT
Up to 7 metres



FD 6.0-10.0

ENGINE COUNTERBALANCE TRUCK
LIFT CAPACITY
6000/7000
/8000/10000 kg
Diesel
LIFT HEIGHTS
Up to 8 metres



Pallet Trucks

Extensive range of pallet movers for all applications. Pedestrian with and without platform, ride and sit on.

PAL-F

COMPACT PEDESTRIAN PALLET TRUCK
LIFT CAPACITY
1600/1800/2000 kg



PTL

COMPACT PEDESTRIAN PALLET TRUCK
LIFT CAPACITY
1800/2000 kg



PTE

COMPACT PEDESTRIAN PALLET TRUCK WITH FORKLIFT
LIFT CAPACITY 1800 kg
LIFT HEIGHT 0.73 metres



PAL-E

COMPACT PEDESTRIAN PALLET TRUCK WITH FORKLIFT
LIFT CAPACITY 2000 kg
LIFT HEIGHT 0.735 metres



PTR

PEDESTRIAN PALLET TRUCK WITH RIDER PLATFORM
LIFT CAPACITY
2000/2500 kg



PTM

PEDESTRIAN PALLET TRUCK WITH RIDER PLATFORM
LIFT CAPACITY 2000 kg



LLR/LLS

STAND-IN & SIT-ON LOW LIFTERS
LIFT CAPACITY
2000/3000 kg



Stackers

A comprehensive range of stackers to suit all applications including double deep storage. Pedestrian, ride and sit on.

SPL

COMPACT PEDESTRIAN STACKER
LIFT CAPACITY 1250 kg
LIFT HEIGHT
Up to 2.1 metres



SP

COMPACT PEDESTRIAN STACKER
LIFT CAPACITY 1250 kg
LIFT HEIGHT
Up to 4.2 metres



SPH

COMPACT PEDESTRIAN STACKER
LIFT CAPACITY
1600/2000 kg
LIFT HEIGHT
Up to 5.4 metres



SRS

PEDESTRIAN STACKER WITH RIDER PLATFORM
LIFT CAPACITY
1250/1600 kg
LIFT HEIGHT
Up to 5.4 metres



SPD

COMPACT PEDESTRIAN STACKER FOR DOUBLE-PALLET HANDLING
LIFT CAPACITY
1250/1600 kg
on the straddles
LIFT HEIGHT
Up to 2.1 metres



Order Pickers

Full range of order pickers 24, 48V to satisfy all low, medium and high level picking requirements.

LOW-LEVEL ORDER PICKER

LOL
LIFT CAPACITY
2000/2500 kg



LOD
LIFT CAPACITY
2000/2500 kg



LOF
LIFT CAPACITY
1200 kg
LIFT HEIGHT
0.95 metres



LOC
LIFT CAPACITY
1200 kg
LIFT HEIGHT
0.95 metres



LOS
LIFT CAPACITY
2000 kg
LIFT HEIGHT
0.9 metres



SRD

DOUBLE STACKER WITH PLATFORM
LIFT CAPACITY
2000 kg
LIFT HEIGHT
2.1 metres



SRO

STAND-IN STACKER
LIFT CAPACITY
1600/2000 kg
LIFT HEIGHT
Up to 6.75 metres



SSO

SIT-ON STACKER
LIFT CAPACITY
1600/2000 kg
LIFT HEIGHT
Up to 6.75 metres



SSD

SIT-ON DOUBLE STACKER
LIFT CAPACITY
1600 kg
LIFT HEIGHT
1.5 metres



SRT/SST

TELEREACH STACKER STAND-IN AND SIT-ON TELESCOPIC FORKS
LIFT CAPACITY
1000 kg
LIFT HEIGHT
Up to 6.75 metres



MEDIUM-LEVEL ORDER PICKER

EOM
LIFT CAPACITY
1000 kg
LIFT HEIGHT
Up to 1.8 metres



HIGH-LEVEL ORDER PICKER

EOC
LIFT CAPACITY
1000 kg
LIFT HEIGHT
Up to 8.25 metres



EOH

LIFT CAPACITY
1250 kg
LIFT HEIGHT
Up to 10.5 metres



Very Narrow Aisle Reach Trucks

Man down narrow aisle machine with rotating fork attachment. Wire or rail guided with minimum aisle widths of 1640 mm.

RTS

SWIVEL REACH TRUCK
LIFT CAPACITY
1250/1500 kg
LIFT HEIGHT
Up to 10.35 metres



Reach Trucks

A fully customisable range of reach trucks to suit every eventuality. Including light duty application, cold store, drive in racking and double deep storage systems.

RTL

NARROW-CHASSIS REACH TRUCK
LIFT CAPACITY
1200/1400 kg
LIFT HEIGHT
Up to 7.25 metres



RTN

NARROW-CHASSIS REACH TRUCK
LIFT CAPACITY 1400 kg
LIFT HEIGHT Up to 8.95 metres



RTM/RTH/RTX

REACH TRUCK
LIFT CAPACITY
1600/2000/2500 kg
LIFT HEIGHT
Up to 12.1 metres



RTM-TF /RTH-TF

REACH TRUCK WITH TELESCOPIC FORKS
LIFT CAPACITY 2000/2500 kg
LIFT HEIGHT Up to 10.2 metres



RTF

FOUR-WAY REACH TRUCK
LIFT CAPACITY
2000/2500 kg
LIFT HEIGHT
Up to 9.7 metres



