

Forklifts • Order Pickers • Pallet Movers • Stackers • Reach Trucks

PRODUCT RANGE

TCM
Trusted Partner


SAFETY


EFFICIENCY


COMFORT



TCM
Always Evolving




SAFETY

INTEGRAL TO OUR TRUCKS

**STANDARDISING SAFETY ON
OUR TRUCKS LEADS TO SAFER
WORKING ENVIRONMENTS WITH
LESS ACCIDENTS.**

- Stability support systems built in as standard
- Safety is not just a feature, it's integral to our design ethos
- Our flexible control systems allow you to optimise the safety features for your applications.
- Inbuilt security functions to prevent unauthorised operation
- Engineered for 360 degree visibility





EFFICIENCY

INDUSTRY LEADING PERFORMANCE

CREATING EFFICIENCIES UTILISING NEW TECHNOLOGIES.

- Low fuel and power consumption
- Maximizing performance to reduce operational cycle times
- Easy servicing and maintenance, minimising your downtime
- Eco-modes to save energy



COMFORT

CONSIDERING THE OPERATOR TO INCREASE YOUR PRODUCTIVITY

FEATURES DESIGNED TO MINIMISE YOUR TOTAL COST OF OPERATION.

- Utilising the science behind ergonomics to create a truck that works with the operator
- Intuitive controls for easy operation
- We understand working environments to enable
- Operator areas with functionality and easy access in mind

Electric Counter Balance Forklift Trucks

The FB/FTB/FHB electric counterbalance trucks are silent, easy to drive and efficient. They have top-class ergonomics with a fully adjustable driver compartment.

An on-board truck computer offers PIN-code-access and service diagnostics. AC drive motor ensures high class performance and low running costs. The counterbalance truck range comes with a full range of mast systems and an efficient battery changeover system.

FTB

3 WHEEL 48 VOLT COUNTERBALANCE TRUCK

LIFT CAPACITY

1250/1500/1600/
1800/2000 kg

LIFT HEIGHT

Up to 7 metres



FB

4 WHEEL 48 VOLT COUNTERBALANCE TRUCK

LIFT CAPACITY

1600/1800/2000 kg

LIFT HEIGHT

Up to 7 metres



FHB

4 WHEEL 80 VOLT COUNTERBALANCE TRUCK

LIFT CAPACITY

2000/2500/3000 kg

LIFT HEIGHT

Up to 7 metres



Diesel/LPG Counter Balance Forklift Trucks

The FD/FGE Engine Powered (Diesel/LPG) counterbalance trucks with car-like driveability – featuring advanced safety and efficiency-enhancing technology. The meter panel provides OnBoard Diagnostics for troubleshooting.

FD/FGE 1.5-3.2

ENGINE COUNTERBALANCE TRUCK

LIFT CAPACITY

1500/1750/2000/
2500/3000/3200 kg
Diesel/LPG

LIFT HEIGHT

Up to 7 metres



FD/FGE 3.5-5.0

ENGINE COUNTERBALANCE TRUCK

LIFT CAPACITY

3500/4000/4500/
5000 kg
Diesel/LPG

LIFT HEIGHT

Up to 7 metres



FD 6.0-10.0

ENGINE COUNTERBALANCE TRUCK

LIFT CAPACITY

6000/7000/8000/
/10000 kg
Diesel

LIFT HEIGHTS

Up to 8 metres



Pallet Trucks

Extensive range of pallet movers for all applications. Pedestrian with and without platform, ride and sit on.

PAL-F

COMPACT PEDESTRIAN PALLET TRUCK

LIFT CAPACITY
1600/1800/2000 kg



PTL

COMPACT PEDESTRIAN PALLET TRUCK

LIFT CAPACITY
1800/2000 kg



PTE

COMPACT PEDESTRIAN PALLET TRUCK WITH FORKLIFT

LIFT CAPACITY 1800 kg
LIFT HEIGHT 0.73 metres



PAL-E

COMPACT PEDESTRIAN PALLET TRUCK WITH FORKLIFT

LIFT CAPACITY 2000 kg
LIFT HEIGHT 0.735 metres



PTR

PEDESTRIAN PALLET TRUCK WITH RIDER PLATFORM

LIFT CAPACITY
2000/2500 kg



PTM

PEDESTRIAN PALLET TRUCK WITH RIDER PLATFORM

LIFT CAPACITY 2000 kg



LLR/LLS

STAND-IN & SIT-ON LOW LIFTERS

LIFT CAPACITY
2000/3000 kg



Stackers

A comprehensive range of stackers to suit all applications including double deep storage. Pedestrian, ride and sit on.

SPL

COMPACT PEDESTRIAN STACKER

LIFT CAPACITY 1250 kg
LIFT HEIGHT
Up to 2.1 metres



SP

COMPACT PEDESTRIAN STACKER

LIFT CAPACITY 1250 kg
LIFT HEIGHT
Up to 4.2 metres



SPH

COMPACT PEDESTRIAN STACKER

LIFT CAPACITY
1600/2000 kg
LIFT HEIGHT
Up to 5.4 metres



SRS

PEDESTRIAN STACKER WITH RIDER PLATFORM

LIFT CAPACITY
1250/1600 kg
LIFT HEIGHT
Up to 5.4 metres



SPD

COMPACT PEDESTRIAN STACKER FOR DOUBLE-PALLET HANDLING

LIFT CAPACITY
1250/1600 kg
on the straddles
LIFT HEIGHT
Up to 2.1 metres



Order Pickers

Full range of order pickers 24, 48V to satisfy all low, medium and high level picking requirements.

SRD

DOUBLE STACKER WITH PLATFORM

LIFT CAPACITY

2000 kg

LIFT HEIGHT

2.1 metres



LOW-LEVEL ORDER PICKER

LOL

LIFT CAPACITY

2000/2500 kg



SRO

STAND-IN STACKER

LIFT CAPACITY

1600/2000 kg

LIFT HEIGHT

Up to 6.75 metres



LOD

LIFT CAPACITY

2000/2500 kg



SSO

SIT-ON STACKER

LIFT CAPACITY

1600/2000 kg

LIFT HEIGHT

Up to 6.75 metres



LOF

LIFT CAPACITY

1200 kg

LIFT HEIGHT

0.95 metres



SSD

SIT-ON DOUBLE STACKER

LIFT CAPACITY

1600 kg

LIFT HEIGHT

1.5 metres



LOC

LIFT CAPACITY

1200 kg

LIFT HEIGHT

0.95 metres



SRT/SST

**TELEREACH STACKER
STAND-IN AND SIT-ON
TELESCOPIC FORKS**

LIFT CAPACITY

1000 kg

LIFT HEIGHT

Up to 6.75 metres



LOS

LIFT CAPACITY

2000 kg

LIFT HEIGHT

0.9 metres



Reach Trucks

MEDIUM-LEVEL ORDER PICKER

EOM

LIFT CAPACITY

1000 kg

LIFT HEIGHT

Up to 1.8 metres



HIGH-LEVEL ORDER PICKER

EOC

LIFT CAPACITY

1000 kg

LIFT HEIGHT

Up to 8.25 metres



EOH

LIFT CAPACITY

1250 kg

LIFT HEIGHT

Up to 10.5 metres



Very Narrow Aisle Reach Trucks

Man down narrow aisle machine with rotating fork attachment. Wire or rail guided with minimum aisle widths of 1640mm.

RTS

SWIVEL REACH TRUCK

LIFT CAPACITY

1250/1500 kg

LIFT HEIGHT

Up to 10.35 metres



A fully customisable range of reach trucks to suit every eventuality. Including light duty application, cold store, drive in racking and double deep storage systems.

RTL

NARROW-CHASSIS REACH TRUCK

LIFT CAPACITY

1200/1400 kg

LIFT HEIGHT

Up to 7.25 metres



RTN

NARROW-CHASSIS REACH TRUCK

LIFT CAPACITY 1400 kg

LIFT HEIGHT Up to 8.95 metres



RTM/RTH/RTX

REACH TRUCK

LIFT CAPACITY

1600/2000/2500 kg

LIFT HEIGHT

Up to 12.1 metres



RTM-TF
/RTN-TF
/RTX-TF

REACH TRUCK WITH TELESCOPIC FORKS

LIFT CAPACITY 2000/2500 kg

LIFT HEIGHT Up to 12.1 metres



RTF

FOUR-WAY REACH TRUCK

LIFT CAPACITY

2000/2500 kg

LIFT HEIGHT

Up to 9.7 metres



